M. A. R. 57 (Rule 116) **No. D**

Measurement Book

Serial No. I st and final Bill

225952

Name of work ..... From ..... To .....

Name of Contractor of nature of Agency..... Technical Manager (CRIDL West) Bangalore

Date of commencement of work..... D.O. Recording : 07.02.2019

Date	Full description, etc, of work	Dimensions				Contents	Reference to last Measurement
		Number	Length	Breadth	Depth		
1	2	3	4	5	6	7	8
	Name of Work = Construction of first floor to Gaurideya Bhavan at Abbigere for Yoga Kendra in Ward No. 12, in Dhelty halli sub Division.						
	Estimated cost Rs = 15.00 Lks						
	IOB No = 012-18-00000 10 - P code - P-3332						
	Work order No = EE/DD/WO/ / 2018-19-01-22-03-2018						
	Date of commencement = 23.03.2018						
	Date of completion = 07.02.2019						

MEASUREMENT BOOK

Date	Full description, etc, of work	Dimensions				Contents	Reference to last Measurement
		Number	Length	Breadth	Depth		
1	2	3	4	5	6	7	8
	① Providing and constructing pre-cast concrete solid blocks with compressive strength not less than 35 kg/cm² with CM 1:4 masonry (courses, jambs, closer blocks) with solid concrete blocks of size 40×20×20 cm conforming to IS:2185/1965 in superstructure including curing materials (boards, chains, etc), scaffolding, curing complete as per specifications.						
						Qty	
	L.Wall	2 nos	14.80	-	3.45	102.12	
	S.Wall	1	15.30	-	3.60	55.08	
		1	15.30	-	3.30	50.49	
26/8/19	platform	1	6.30	-	0.40	2.52	
		2	3.60	-	0.40	2.88	
	Parapet	1	15.30	-	0.40	6.12	

M. A. R. 57 (Rule 116) No. D

Measurement Book

Serial No. .....

Name of work .....

Name of Contractor of nature of Agency..... From ..... To .....

Date of commencement of work.....

225953

Date	Full description, etc, of work	Dimensions				Contents	Reference to last Measurement
		Number	Length	Breadth	Depth		
1	2	3	4	5	6	7	8
	Column	2×1	14.80	-	0.40	11.84	
		6×1	0.45	-	3.45	9.32	
						240.37 M²	
	Deduct - Door	1	0.90	-	2.10	1.89	
		1	1.80	-	2.00	3.60	
		3×1	2.20	-	1.80	11.88	
		2×1	3.00	-	1.80	10.80	
		1	2.10	-	1.40	2.94	
						17.37 M²	
		Net qty = 240.37 - 17.37 = 223.00 M²					
		@ 1011.96/M²					R. 225667.08

MEASUREMENT BOOK

Date	Full description, etc, of work	Dimensions				Contents	Reference to last Measurement
		Number	Length	Breadth	Depth		
1	2	3	4	5	6	7	8
	① Providing and laying in position reinforced cement concrete of design mix M-20 with OPC cements @ 320 kgs with 20mm and down size graded granite metal coarse aggregate 0.6 m³ and fine aggregate 0.4 m³, with superplasticiser @ 1% confirming to IS-9103-1999 Re-affirmed-2008, machine mixed concrete laid in layers not exceeding 15 cms thick vibrated for all works in RL level for Roof slabs, staircase, lintels and beams, return walls etc complete as per specifications and directions of Engineer-in-charge of work,						
	only vide this MB. Pg ③						25006.00
	P.W. 225997					= 3.76 m³ @ 6650.64/m³	

M. A. R. 57 (Rule 116) No. D

Measurement Book

Serial No. .....

Name of work ..... From ..... To .....

225954

Name of Contractor of nature of Agency.....

Date of commencement of work.....

Date	Full description, etc, of work	Dimensions				Contents	Reference to last Measurement
		Number	Length	Breadth	Depth		
1	2	3	4	5	6	7	8
③	Providing and fabricating TMT steel reinforcement for RCC work including straighting, cutting, bending, hooking, placing in position, lapping and/or welding wherever required, tying with binding wire and anchoring to the adjoining members wherever necessary complete as per design qty vide this MB. Pg(1) P.No. 225996 = 0.38 Tons @ 65455.56 Rs 24873.11						
	Providing and removing, centering, shuttering, propping etc						

MEASUREMENT BOOK

Date	Full description, etc, of work	Dimensions				Contents	Reference to last Measurement
		Number	Length	Breadth	Depth		
1	2	3	4	5	6	7	8
	and removal of, from work for & over all widths of beams & beams haunchings cantilever girders bressummers at Lintels not exceeding 1 mm in depth including cutting all materials, labour, Complete as per specifications.						
				any side, this M.B. Pg ②			
	P.W. 225797 =			0.50 56.3432		65435.76 276.48 sq.m	13576.88
5]	fabricating, supplying & Erecting M.S. angles 7mm & upto 10.0m, the bottom and top members is provided with 50x50x6mm double equal angles, welded, Lade in						

M. A. R. 57 (Rule 116) No. D

Measurement Book

Serial No. .....

225955

Name of work ..... From ..... To .....

Name of Contractor of nature of Agency.....

Date of commencement of work.....

Date	Full description, etc, of work	Dimensions				Contents	Reference to last Measurement
		Number	Length	Breadth	Depth		
1	2	3	4	5	6	7	8
	back and in bet top and bottom line, in arch of steel section is provided with 50×50×6 mm equal angles for vertical and inclined members and at supports ends 40×40×5 mm single angle is provided. All the members are welded together with 6 mm gusset plate as per drawing no. QBS/SD/IC. Marking /9/MMS/97. The entire truss is anchored in RCC column by using 4 no. of M.S. anchor bolts, the work includes cutting, straightening, placing in position of M.S. angles and welding						

MEASUREMENT BOOK

Date	Full description, etc, of work	Dimensions				Contents	Reference to last Measurement
		Number	Length	Breadth	Depth		
1	2	3	4	5	6	7	8
	Wherever necessary and applying one coat of Red oxide primer coat to all the members including cost of materials, labour charges and hire charges of machinery etc. complete as per MB. PW. 225998						
						126.36/kg	231226.4
						= 1829.504	
6)	Providing trapezoidal profiled sheet, providing of installing of pre. painted galvalume trapezoidal profiled sheet of approved make looking visible (1000 mm cover width) 28.30 mm crest to crest distance of 200 mm c/c with 2 ribs at the centre of stiffening, the total coated thickness (TCT) of the sheet will be 0.47 mm +/- 0.02 mm						

M. A. R. 57 (Rule 116) No. D

Measurement Book

Serial No. .....

225956

Name of work ..... From ..... To .....

Name of Contractor of nature of Agency.....

Date of commencement of work.....

Date	Full description, etc, of work	Dimensions				Contents	Reference to last Measurement
		Number	Length	Breadth	Depth		
1	2	3	4	5	6	7	8
	-tolerance. Zinc-Al4 Alloy coating. AZ 150 gsm as per ASTM A 653/A 653M- 550 comp steel grade. 5-7 micron Epoxy primer on both sides of the sheet, and polyster topcoat 20-22 micron using self drilling/tapping, and polyster top coat 20-22 micron using self drilling/ self tapping screws of 25 mm length, to be fixed over the purlins, ~~for~~ rafters, channels, and ~~battens~~, Complete as per specifications and directions of Engineer-in-Charge of work.						

MEASUREMENT BOOK

Date	Full description, etc, of work	Dimensions				Contents	Reference to last Measurement
		Number	Length	Breadth	Depth		
1	2	3	4	5	6	7	8
	ಸಹಾಯಕ ಕಾರ್ಯಪಾಲಕ ಅಭಿಯಂತರರು ಪೀಣ್ಯ ಉಪವಿಭಾಗ, ದಾಸರಹಳ್ಳಿ ವಲಯ ಬೃಹತ್ ಬೆಂಗಳೂರು ಮಹಾನಗರ ಪಾಲಿಕೆ ಎಸ್.ಎಂ. ರಸ್ತೆ, ರವೀಂದ್ರನಗರ, ಬೆಂಗಳೂರು.						
26/8/19		1	15.30	15.50	-	237.1542	
					e	831.6042	19721.94
	7) Supplying and fixing panels of steel door frames of size 125x65 mm manufactured from 1.25 mm thick carbon steel or imported steel strips, with mitred joints of 90° for door archway and shutters made out of seasoned Honne wood, styles of 30mm thick with lock rail of 160 mm, width top and sides rails of 100 mm width and bottom rails of 250 mm width and panel filling with 12 mm thick particle board of Exterior grade						

M. A. R. 57 (Rule 116) **No. D**

Measurement Book

225957

Serial No. .....

Name of work ..... From ..... To .....

Name of Contractor of nature of Agency.....

Date of commencement of work.....

Date	Full description, etc, of work	Number	Dimensions		Depth	Contents	Reference to last Measurement
			Length	Breadth			
1	2	3	4	5	6	7	8
	bonded with phenol formaldehyde resins and he shall be responsible, Vehicle proof, heat Resistant guarantee against shrinkage, warpage and such other defects for a period of 5 years. as per specifications and directions of Executive Engineer in charge of Work.						
	ಸಹಾಯಕ ಕಾರ್ಯಪಾಲಕ ಅಭಿಯಂತರರು ಉಪವಿಭಾಗ, ದಾಸರಹಳ್ಳಿ ವಲಯ ಬೆಂಗಳೂರು ಮಹಾನಗರ ಪಾಲಿಕೆ ಡಿ.ಜೆ. ರವೀಂದ್ರನಗರ, ಬೆಂಗಳೂರು. 26/8/19	1	0.90	2.10	-	1.89 ಚ.ಮೀ	
		1	1.80	2.00	-	3.60	
						5.49 ಚ.ಮೀ	7938.00
					Add	2.10 ಚ.ಮೀ	3780 ಚ.ಮೀ
	Providing and fixing M.S. Grill of required Windows and						

MEASUREMENT BOOK

Date	Full description, etc, of work	Dimensions				Contents	Reference to last Measurement
		Number	Length	Breadth	Depth		
1	2	3	4	5	6	7	8
	Ventilators weighing 21 kg/ sqm using M.S. flats, or M.S. square rods or combination of M.S. flats and steel sections, and welding the same to Roofing pattern with a coating of Red lead primer, cost of all Material and labour and hiring of machinery complete as per specifications and directions of Engineer-in-Charge.						
	W	3	2.20	-	1.80	11.88 m²	
		2	3.40	-	1.80	10.80	
		1	2.10	-	1.40	2.94	
						25.62 m²	
	Wt = 25.62 m² @ 25.62 kg/m² = 749.22 kg. @ ₹ 84.24/kg Total ₹ 792.00 kg						6671 8-09

ಕಛೇರಿಯಲ್ಲಿ ಅಭಿಯಂತರರು
ಉಪವಿಭಾಗ, ದಾವಣಗೆರೆ ವಲಯ
ಬೆಂಗಳೂರು ಮಹಾನಗರ ಪಾಲಿಕೆ
ರವೀಂದ್ರನಗರ, ಬಂಗಲೆಯ.
ಎಂ. ರಸ್ತೆ,

M. A. R. 57 (Rule 116) No. D

Measurement Book

Serial No. .....

225958

Name of work ..... From ..... To .....

Name of Contractor of nature of Agency.....

Date of commencement of work.....

Date	Full description, etc, of work	Dimensions				Contents	Reference to last Measurement
		Number	Length	Breadth	Depth		
1	2	3	4	5	6	7	8
	1) Providing 18mm thick cement plaster in single coat with C.M 1:3 to brick masonry, including rounding off corners wherever required, & making Rendering, providing & removing scaffolding, including cost of material, labour, curing complete as per specifications & directions of Engineer-in-charge.						
	Wall.	2 × 1	14.90	-	3.45	102.81	
		2 × 1	14.40	-	3.45	99.36	
		4 × 1	1.60	-	3.45	22.08	
						224.25 m²	

ಸಹಾಯಕ ಕಾರ್ಯಪಾಲಕ ಅಭಿಯಂತರರು
ಪೂರ್ವ ಉಪವಿಭಾಗ, ದಾಸರಹಳ್ಳಿ ವಲಯ
ಬೃಹತ್ ಬೆಂಗಳೂರು ಮಹಾನಗರ ಪಾಲಿಕೆ
ನಂ.20, ಮಸ್ಜಿದ್ ರವೀಂದ್ರನಗರ, ಬೆಂಗಳೂರು.

MEASUREMENT BOOK

Date	Full description, etc, of work	Dimensions				Contents	Reference to last Measurement
		Number	Length	Breadth	Depth		
1	2	3	4	5	6	7	8
	deduct D	1	20.5	0.90	- 2.10 -	0.95	
	W	0.50	3	2.20	- 1.80 -	5.94	
						6.89 m²	
				Net qty =		217.37 m²	
					@	263.52 ft²	57281.34
10)	Providing lime rendering for plastering to wall and ceiling including curing material, labour, complete as per specifications and directions of Engineer-in-charge in layers.						
		qty as per Item No. (9)					
		=	217.37	m²	@	27.00/m²	5868.90

M. A. R. 57 (Rule 116) **No. D**

Measurement Book

225959

Serial No. .....

Name of work ..... From ..... To .....

Name of Contractor of nature of Agency.....

Date of commencement of work.....

Date	Full description, etc, of work	Number	Dimensions Length	Breadth	Depth	Contents	Reference to last Measurement
1	2	3	4	5	6	7	8
11)	Providing 20mm thick cement plaster in single coat with C.M 1:3 to stone masonry and concrete surface including rounding off corners wherever required including curing, removing of scaffolding, including all cost of material, labour, curing complete as per specifications and directions of Engineer-in-charge the work.						
	outside	2 × 1	15.30	-	3.90	119.34	
		2 × 1	14.40	-	3.80	109.44	
	parapet	2 × 1	16.90	-	0.40	13.52	

MEASUREMENT BOOK

Date 1	Full description, etc, of work 2	Dimensions: Number 3	Length 4	Breadth 5	Depth 6	Contents 7	Reference to last Measurement 8
		1	14.80	—	0.40	5.92	
						248.22	
	deduct Door.	120.55	0.90	0.90	2.10	0.95	
						247.28 m²	
		@ 247.28/1				Add. 243.78 m²	700 36.12
12)	Providg vitrified tiles of 60x60 cms of approved make, shade and size of flooring laid on a bed of 12 mm thick C.M 1:3 mix, flush pointg with cement using colour pigement, includg cutting material, labour, curing complete as per specifications and directions of Engineer-in-charge work.						

M. A. R. 57 (Rule 116) No. D

Measurement Book

225960

Serial No. .....

Name of work ..... From ..... To .....

Name of Contractor of nature of Agency.....

Date of commencement of work.....

Date	Full description, etc, of work	Dimensions				Contents	Reference to last Measurement
		Number	Length	Breadth	Depth		
1	2	3	4	5	6	7	8
		1	15.30	14.40	-	= 220.32 m²	
		2 × 1	15.30	0.10	-	3.06	
		2 × 1	14.40	0.10	-	2.88	
						226.26 m²	
						@ 1200.96/m²	221.729.24
13)	Providing and applying painting two coats with plastic emulsion paint of approved brand on wall surface to give an even approved shade after thoroughly brushing the surface free from moss drops and any foreign matter. complete.						

MEASUREMENT BOOK

Date	Full description, etc, of work	Dimensions				Contents	Reference to last Measurement
		Number	Length	Breadth	Depth		
1	2	3	4	5	6	7	8
	Preparing the surface even and dust free by removing existing material, labour complete as per specifications with primer, complete as per specifications and directions of Engineer-in-charge work.						
			qty as per D no. (9)				21128.36
			= 27.37 m² @ 27.20/.12				
(m)	Painting wall finish external walls in two coats with water proof cement paint of approved brand and shade to give even shade after thoroughly brushing the surface to remove all dirt, and loose pulverulent						

M. A. R. 57 (Rule 116) No. D

Measurement Book

225961

Serial No. .....

Name of work ..... From ..... To .....

Name of Contractor of nature of Agency.....

Date of commencement of work.....

Date	Full description, etc, of work	Dimensions				Contents	Reference to last Measurement
		Number	Length	Breadth	Depth		
1	2	3	4	5	6	7	8
	materials, free from motor drops and dirty fingers matter costing material) labours complete as per specifn Cdns's and directions of Engineers-in-charge of work.						
	qty as per Est no. (15) =					243.78 sqm	
						@ 90.72/sqm	22115.32
	Electrification work.						
19	Supplying. 19 mm dia 2mm/2.00 mm thick heavy gauge PVC Conduit pipe with bends metal junction boxes adhesive						

MEASUREMENT BOOK

Date	Full description, etc, of work	Dimensions				Contents	Reference to last Measurement
		Number	Length	Breadth	Depth		
1	2	3	4	5	6	7	8
	Paste ch and bracing with the surface of the brick level and run with 18 SWG GI fish wire run. through out the conduit wherever necessary Complete as per specifications and directions of Engineer-in charge of the work.						
	07.19/20 mm dia. 2mm thick	1	35.00	–	–	35.00 mts @ 43/-	1505.00
	to. 25 mm dia. 2mm thick	1	25.00	–	–	25.00 mts @ 53/-	1325.00
16	Supplying and flush mounting Teak wooden Box with out						

M. A. R. 57 (Rule 116) No. D

Measurement Book

Serial No. .....

225962

Name of work ..... From ..... To .....

Name of Contractor of nature of Agency.....

Date of commencement of work.....

Date	Full description, etc, of work	Dimensions				Contents	Reference to last Measurement
		Number	Length	Breadth	Depth		
1	2	3	4	5	6	7	8
	Front plank made of not less than 12 mm thick wood after due groove cutting necessary making patch work complete as per specifications and directions of Engineer-in-charge of work.						
	a) 10" x 7" x 3" (3 nos 22 & 23-7)	2 Nos	@ Rs	68.00	Each.		136.00
	b) 10" x 6" x 3" (300 & 228 & 276-7)	2 Nos	@ Rs	52.00	Each.		104.00
17)	Supplying and fixing	pvc	metal	conduit	accessories	specify	

MEASUREMENT BOOK

Date	Full description, etc, of work	Dimensions				Contents	Reference to last Measurement
		Number	Length	Breadth	Depth		
1	2	3	4	5	6	7	8
	type junction Box complete as per specification and directions of Engineer-in-charge etc. complete						
	(a) 32mm Junction Box	6 nos	@ 29.00		Each	Rs.	174.00
	(b) fan Box. 18/SWG	3 nos	@ 57.00		Each	Rs	171.00
18)	Point Wiring using copper wire concealed supplying and Wiring adopting loop system in existing pvc conduit / casing capping using copper pvc insulated multi strand 2 x 1.5 sqmm copper wire as with a 6 amps flush type sp-switches shall be fixed in the existing plate/sheet						

M. A. R. 57 (Rule 116) No. D

Measurement Book

225963

Serial No. .....

Name of work ..... From ..... To .....

Name of Contractor of nature of Agency.....

Date of commencement of work.....

Date	Full description, etc, of work	Dimensions				Contents	Reference to last Measurement
		Number	Length	Breadth	Depth		
1	2	3	4	5	6	7	8
	going back the other end of the wires shall be terminated with sufficient loose length in a wood pvc block complete for each outlet Materials, point wiring using class A complete as per specifications and directions of Engineer-in-charge of work.						
	a) short points	5 nos	@ 175/ each			Rs	875.00
	b) medium points	5 nos	@ 260/each			Rs	1300.00
19/	supplying and fixing	modular switch / socket / stepped					

MEASUREMENT BOOK

Date	Full description, etc, of work	Dimensions				Contents	Reference to last Measurement
		Number	Length	Breadth	Depth		
1	2	3	4	5	6	7	8
	electrical fan regulators/ dimmers/ telephone socket etc on existing modular switches plate complete as per specifications and directions of Engineers-in-charge of work.						
	a) 1-3 way	✓	5 nos	@	Rs 90.00/ each =		450.00
	b) 4-5 way		2 nos	@	Rs 100.00/ each.		200.00
20)	Supplying and fixing super quality modular switches mounting polycarbonate plate with necessary supporting back plate. With required no. of machine screws, bolts, nuts etc complete on the existing metal/pvc box complete as per specifications and directions of						

M. A. R. 57 (Rule 116) No. D

Measurement Book

225964

Serial No. .....

Name of work ..... From ..... To .....

Name of Contractor of nature of Agency.....

Date of commencement of work.....

Date	Full description, etc, of work	Dimensions				Contents	Reference to last Measurement
		Number	Length	Breadth	Depth		
1	2	3	4	5	6	7	8
	Engineer-in charge of work						
	(a) 1 to 3 modular	1 No	@ 82.00/Each			Rs	82.00
	(b) 4 modular	1 No.	@ 100.00/Each			Rs.	100.00
21)	Supplying and fixing of modular switches/socket/stepper fan Regulator/dimmer/telephone sockets etc complete on existing modular switches plate complete as per specifications and directions of Engineer-in-charge work.						

MEASUREMENT BOOK

Date	Full description, etc, of work	Dimensions				Contents	Reference to last Measurement
		Number	Length	Breadth	Depth		
1	2	3	4	5	6	7	8
	a) 6 amps 3 way sockets	5 nos	@ Rs 165.00/each			=	825.00
	(b) stepped for Regulator	2 nos	@ Rs 530.00/Each			=	1060.00
22)	Wiring for Lighting power circuits wiring one of PVC insulated grade multistrand copper conductor single core cable in open or concealed system of wiring 1.50 sq. mm complete as per specifications and directions of Engineer-in-charge of work.						
		1	Sum	-	-	50.00 mts @ 00.00/mt	7,500.00
23)	Supplying and fixing one of 230 volts PBBC bakelite						

M. A. R. 57 (Rule 116) No. D

Measurement Book

225965

Serial No. .....

Name of work ..... From ..... To .....

Name of Contractor of nature of Agency.....

Date of commencement of work.....

Date	Full description, etc, of work	Dimensions				Contents	Reference to last Measurement
		Number	Length	Breadth	Depth		
1	2	3	4	5	6	7	8
	Straight or Hank bakelite holders and Wiring with fig 60 w/ 230 volts lamps complete as per specifications and directions of Engineer-in-charge of work.						
		1 no. @ Rs. 60.00/ Each				Rs	60.00
24)	Extra for supplying 4 mm thick white plastic plate and covering for junction boxes or Pipe drop Conduit wiring necessary machine screws. 8 mm Complete as per specifications and directions of Engineer in-charge of work						

MEASUREMENT BOOK

Date	Full description, etc, of work	Dimensions				Contents	Reference to last Measurement
		Number	Length	Breadth	Depth		
1	2	3	4	5	6	7	8
		Above		Brought Forward		B/F	B.F.
25)	Supplying 4mm thick plastic sheet with necessary stitches for fixing doors, regulators etc and fixing wooden or metal box using of doors complete as per specifications and directions of Engineer-in-charge Wor.	4	300	20	24.00 sq.cm		
		1	100	10	100.00		
					2500.00 sq.cm		550.00
					e 0.22 sq.m		
26)	Supplying Patti type fluorescent tube light fitting of 4' x 36/40 Watts	fluorescent tube fitting.					

M. A. R. 57 (Rule 116) **No. D**

Measurement Book

Serial No. 225966

Name of work ..... From ..... To .....

Name of Contractor of nature of Agency.....

Date of commencement of work.....

Date	Full description, etc, of work	Dimensions				Contents	Reference to last Measurement
		Number	Length	Breadth	Depth		
1	2	3	4	5	6	7	8
	made out of M.S. sheet, and shall be enamelled with long loss open cast copper wound ferromagnetic ballast, starter, locking type brass contact holder mounted on double fold type sheet base fully wired for used on 230 volts AC supply for one fluorescent tube complete as per specifications and directions of Engineer-in-charge of Work.						
		ANs -	-	-		4 Nos	2700.00

C 6755

MEASUREMENT BOOK

Date	Full description, etc, of work	Dimensions				Contents	Reference to last Measurement
		Number	Length	Breadth	Depth		
1	2	3	4	5	6	7	8
27)	Supplying Capacitor type ceiling fan complete with down Rod blades, shackle, Canopies etc for operation on 230 volts, 50 cycles, single phase AC supply confirming to ISS- 374-1979- and with double ball bearing system ICPWD SR. 2007-18. etc complete 2 nos @ 1 no/e					Rs	1800-00
28)	Supplying and fixing superior quality module display mounting polycarbonate plate with necessary supporting back plate with Required nos of machine screws, bolts nuts, complete on the existing metal complete						

M. A. R. 57 (Rule 116) **No. D**

Measurement Book

225967

Serial No. .....

Name of work ..... From ..... To .....

Name of Contractor of nature of Agency.....

Date of commencement of work.....

Date	Full description, etc, of work	Number	Dimensions Length	Dimensions Breadth	Depth	Contents	Reference to last Measurement
1	2	3	4	5	6	7	8
	as per specification.						
	(a) 1 to 3 modules	2 Nos	@ 82.00/Each			Rs	164.00
	(b) 8 modules	2 Nos	@ 175.00/Each.			Rs	350.00
29)	Supplying & fixing of modular switch/ socket/ stepper/ electrical regulator/ dimmer/ telephone socket in the existing modular switch plate complete as per specification.						
	(a) 6 amps. one way	= 1 No.	@ 86.00/Each				86.00

MEASUREMENT BOOK

Date 1	Full description, etc, of work 2	Dimensions: Number 3	Length 4	Breadth 5	Depth 6	Contents 7	Reference to last Measurement 8
	(b) 6 amps. 3 way socket	2 nos @ 165.00/each				R	330-00
30)	Supplying, fixing, wiring Earth electrode for grounding conduits, I.C. cutouts, and other Equipments in the meter board using 40mm dia 2.90mm thick GE pipe 2.50m long buried in a pit, the pit should be filled with equal proportions of salt and charcoal 150mm around pipe to complete depth, through GE wire of size as per ISI specification 7.33. IS 732 using 12mm dia bolts, nuts, washers etc complete as per specification, and directions of Engineer in-charge of work.						

Audited and admitted for Rs. 1408636=00

Passed by Cheque for Rs. 1264966=00

(Rupees Twelve lakhs Sixty four thousand Nine Hundred Sixty six only)

Serial No. 1436 to 1436 = 1 No.

Name of work .....

Name of Contractor of nature of Agency .....

Date of commencement of work .....

Accounts Superintendent

Date

Ex. Engineer

M. A. R. 57 (Rule 116) No. D

Measurement Book

225968

From ..... To .....

1	2 Full description, etc. of work	Dimensions: Number 3	Length 4	Breadth 5	Depth 6	Contents 7	Reference to last Measurement 8
	ಸಹಾಯಕ ಕಾರ್ಯಪಾಲಕ ಅಭಿಯಂತರರು ಕೆಬ್ಬಹಳ್ಳಿ ಉಪವಿಭಾಗ, ದಾಸರಹಳ್ಳಿ ವಲಯ ಬೃಹತ್ ಬೆಂಗಳೂರು ಮಹಾನಗರ ಪಾಲಿಕೆ ಹಿಸ್.ಎಂ. ರಸ್ತೆ, ಕೆಪಲೆಂಡ್ಡನಗರ. ಬೆಂಗಳೂರು	1 No. @	Rs 3000.00		Each.	Rs	3000.00
					Total Rs		12,66,342.85
					Add ICR-02 charges 11%.		39294.71
					G. Total.		1405640.57
							1269042=00
							139594=00
							1408636=00

ಸಹಾಯಕ ಅಭಿಯಂತರರು
ವಾರ್ಡ್ ನಂ. 12, ಕೆಬ್ಬಹಳ್ಳಿ
ಬಿಬಿಎಂಪಿ, ಬೆಂಗಳೂರು.

MEASUREMENT BOOK

Date	Full description, etc, of work	Dimensions				Contents	Reference to last Measurement
		Number	Length	Breadth	Depth		
1	2	3	4	5	6	7	8



Samudaya Bhavan - first floor